

CANADIAN VASCULAR LABORATORIES

CONSULTATIONS & DIAGNOSTIC IMAGING

535 Mulock Drive, Suite 300, Newmarket, ON L3Y 5H2
 T: 905-953-9044 • F: 905-954-1113

TEL: 905-953-9044
 FAX: 905-954-1113

info@cvlab.ca
 Fillable PDF available at www.cvlab.ca

PATIENT INFORMATION

LAST NAME _____ FIRST NAME _____

ADDRESS _____

TELEPHONE _____ DATE OF BIRTH SEX M F

HEALTH CARD NUMBER _____ VERSION CODE _____

REFERRING PHYSICIAN

SIGNATURE _____

PHYSICIAN'S STAMP or PRINT NAME _____

OHIP BILLING # _____

COPY TO _____

APPOINTMENT

APPOINTMENT _____ TIME _____

ALL TESTS ARE BY APPOINTMENT.

CLINICAL INFORMATION

Consult only if test abnormal

PLEASE INCLUDE ALL RELEVANT NOTES AND TEST RESULTS WITH THIS REFERRAL

INTERNAL MEDICINE

URGENT INTERNAL MEDICINE CLINIC

Lab Abnormalities

Imaging Abnormalities

Hypertension

Chronic Kidney Disease

Shortness Of Breath

Other (Please Specify) _____

CARDIAC WORK-UP

CARDIOLOGY CONSULT

ECG

Holter 24H 48H 72H 14D

Echocardiogram

Stress Echo

Stress Testing

24H Blood Pressure (NON-OHIP)

VASCULAR

VASCULAR CONSULT

Leg Arterial Doppler

Leg Venous Doppler

Carotid Doppler

Arm Arterial Doppler

Arm Venous Doppler

AAA Screening (Aorta)

Vascular Screening (Carotid, Aorta, & Legs)

Diabetic Foot Screening (Risk Assessment)

STROKE WORK-UP

STROKE CLINIC

ECG

Holter 24H 48H 72H 14D

Echocardiogram

Carotid Doppler

MUSCULOSKELETAL ULTRASOUND

MSK CLINIC

R L Upper Extremities

Shoulder

Arm

Elbow

Forearm

Wrist

Hand

R L Lower Extremities

Hip

Knee

Calf

Ankle

Achilles Tendon

Foot

US Guided Joint/ Soft Tissue Injections

NEUROLOGY

NEUROLOGY CONSULT

NCS / EMG

Please see map and preparation info on back for all tests

X-RAY

Chest

Chest PA & LAT

Sternum

R L Ribs & Chest PA

R L Sternoclavicular Joints

Abdomen

KUB (1 View)

Acute (2 Views)

Head & Neck

Soft Tissue Neck

Skull

Sinuses (NON-OHIP)

Orbits (MRI)

Facial Bones

Nose

Mandible

T.M. Joints

Adenoids

Upper Extremities

R L

Shoulder

Clavicle

A.C. Joint

Scapula

Humerus

Elbow

Forearm

Wrist

Scaphoid

Hand

Fingers

No. T 2 3 4 5

Lower Extremities

R L

Hip

Femur

Knee

Tibia & Fibula

Ankle

Foot

Calcaneus

Toes

No. 1 2 3 4 5

Spine & Pelvis

Cervical

Thoracic

Lumbosacral

Sacrum & Coccyx

Sacro-Iliac Joints

Pelvis & Hips

Skeletal Survey

Metastatic Series

Bone Age

Other _____

ULTRASOUND

General

Abdomen

Pelvic

Pelvic & Transvaginal

Testes / Scrotum

Hernia

Kidney +/- Bladder

Other

Thyroid

Neck

Soft Tissue _____

Other _____

Breast R L


Obstetrical

Dating (<16 weeks)


Nuchal Translucency (11W+2D - 13W+6D)

Anatomy (ideally @ 19-20 wks)

Other _____



Canadian Vascular Laboratories



535 Mulock Drive, Suite 300
Newmarket, Ontario L3Y 5H2
TEL: 905-953-9044 • FAX: 905-954-1113

Child care is required during examinations.
Please arrive 10 minutes prior to your appointment and bring your Health Card and this form.
Please provide 24 hours' notice if you are unable to keep your appointment.
We are a scent free office.

Procedure	Study Length	Instructions	What to Expect
VASCULAR			
Leg Arterial Doppler and Diabetic Foot Assessment	45 minutes	Nothing to eat or drink for 8 hours before the exam except for sip of water with medications.	Blood flow in the legs is measured with pressure cuffs and ultrasound.
Leg Venous Doppler	30 minutes	No restrictions; drink water to ensure you are well hydrated. Voiding is okay.	Blood flow in the legs is measured with ultrasound.
Arm Arterial Doppler	30 minutes	No restrictions.	Blood flow in the arms is measured with pressure cuffs and ultrasound.
Arm Venous Doppler	30 minutes	No restrictions.	Blood flow in the arms is measured with ultrasound.
Carotid	30 minutes	No restrictions.	Blood flow in the carotid arteries is assessed with ultrasound.
AAA Screening (aorta)	20 minutes	Nothing to eat or drink for 8 hours before the exam except for sip of water with medications.	Ultrasound of the abdomen.
Vascular Screening	75 minutes	Nothing to eat or drink for 8 hours before the exam except for sip of water with medications.	Blood flow in the carotid arteries and legs is measured with ultrasound. Pressure cuffs used on the legs.
CARDIOLOGY			
ECG	10 minutes	No restrictions.	Electrodes are attached to the chest with adhesive.
Holter	24 hours - 14 days	20 minutes to attach. Wear device continuously. Do not get device wet. Return the device on date specified.	Electrodes are attached to the chest with adhesive. The monitor is worn for 24 hours up to 14 days.
Echocardiogram	60 minutes	No restrictions.	Ultrasound of the heart is performed with gel and a probe. Some pressure may be applied.
Stress Testing	30 minutes	Have a light meal. Check with your doctor if you should stop your medication. Wear comfortable clothing. Do not work out the same day as your test.	Your heart function and rhythm are assessed before and after you walk on a treadmill or use an exercise bike.
24 Hour Blood Pressure Monitor	24 hours	20 minutes to attach. Wear device continuously. Do not get device wet. Return the device on date specified.	Blood pressure cuff is worn for 24 hours. Blood pressure is recorded and stored in the device during this time.
GENERAL ULTRASOUND			
Abdominal ultrasound	45 minutes	Nothing to eat or drink for 8 hours before the exam except for sip of water with medications.	Ultrasound of the abdomen ('stomach' above the hip level) is performed with gel and a probe. Some pressure may be applied.
Pelvic ultrasound	30 minutes	A full bladder is necessary. Finish drinking 1 litre (40 oz) of clear fluid 1 hour before the exam. Do not empty your bladder.	Ultrasound of the pelvis ('stomach' below the hip level) is performed with gel and a probe. Some pressure may be applied.
Abdominal & Pelvic ultrasound	75 minutes	Nothing to eat or drink for 8 hours before the exam except for sip of water with medications. A full bladder is necessary. Finish drinking 1 litre (40 oz) of clear fluid 1 hour before the exam. Do not empty your bladder.	Ultrasound of the abdomen and pelvis ('stomach') is performed with gel and a probe. Some pressure may be applied.
Transvaginal ultrasound	15 minutes	Usually completed with a pelvic ultrasound. Written consent is required.	A covered and lubricated probe is placed in the vagina.
Obstetrical	75 minutes	A full bladder is necessary. Finish drinking 1 litre (40 oz) of clear fluid 1 hour before the exam. Do not empty your bladder.	Ultrasound of the abdomen ('stomach' above the hip level) is performed with gel and a probe. Some pressure may be applied.
Trans rectal	45 minutes	An enema is required 1 to 4 hours before the test. Get instructions from the pharmacist. Written consent is required.	A covered and lubricated probe is placed in the rectum. There may be pressure or a feeling of fullness.
Thyroid ultrasound	30 minutes	No restrictions.	Ultrasound of the thyroid gland (neck) is performed with gel and a probe.
Breast	45 minutes	No restrictions. Written consent is required.	Ultrasound of the breast is performed with gel and a probe. Some pressure may be applied.
MUSCULOSKELETAL ULTRASOUND			
Musculoskeletal ultrasound	30 minutes	No restrictions.	Ultrasound of the joint or soft tissue is performed with gel and a probe.